



City of Sonoma

2016 CALGREEN+TIER 1 CHECKLIST

for

NEW RESIDENTIAL BUILDINGS

Scope: Applies to newly constructed low-rise residential buildings including hotels, motels, lodging houses, dwellings, dormitories, condominiums, shelters, congregate residences, employee housing, factory-built housing and other types of dwellings with sleeping accommodations. Detached “U” occupancy buildings and repairs to existing structures are not subject to the requirements of CALGreen. Existing site and landscaping improvements that are not otherwise disturbed are also not subject to the requirements of CALGreen.

Residential addition and alteration projects should use the Residential Addition and Alteration CALGreen checklist.

APPENDIX A4

(Revised per City of Sonoma Requirements - Based on the 2016 CA Green Building Code (CALGreen) + Tier 1)

Project Name: _____

Project Address: _____

Project Description: _____

Instructions:

1. The Owner or the Owner’s agent shall employ a qualified CALGreen Special Inspector, listed by the City of Sonoma Building Department, to perform CALGreen Special Inspector services and to verify and assure the Owner and the Building Department that all required work described herein is properly planned and implemented in the project. City listed CALGreen inspectors can be found on the City’s web site.
2. The CALGreen Special Inspector shall not be the design professional or contractor for the project and shall not have a financial interest in the project for which services are being provided except for the cost of providing said services.
3. The CALGreen Special Inspector, in collaboration with the owner and the design professional shall review and incorporate all applicable provisions of **Columns 1 and 2** of this checklist into the project, sign and date the **Design Verification** section at the end of this checklist and have the checklist printed on the approved plans for the project. The CALGreen Special Inspector must indicate in **Column 2** of the checklist all applicable measures which must be met and incorporated into the project.
4. Prior to final inspection by the Building Department, CALGreen Special Inspector shall complete **Column 3** and sign and date **the Implementation Verification** section at the end of this checklist.

NOTE: The City of Sonoma has adopted the Tier 1 provisions of CALGreen as mandatory requirements which must be implemented in the project except that the Tier 1 Energy Efficiency measures provided in Section A4.2 need not be met.

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</p>	<p>Mandatory & Tier 1 Prerequisites</p>	<p>Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p>Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p align="center">A4.1 PLANNING AND DESIGN</p>			
<p>Site Selection</p>		<p align="center">A4.1</p>	
<p>A4.103.1 A site which complies with at least one of the following characteristics is selected: 1. An infill site is selected. 2. A greyfield site is selected. 3. An EPA-recognized Brownfield site is selected.</p>			<p align="center"> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </p>
<p>A4.103.2 Facilitate community connectivity by one of the following methods: 1. Locate project within a 1/4-mile true walking distance of at least 4 basic services; 2. Locate project within 1/2-mile true walking distance of at least 7 basic services; 3. Other methods increasing access to additional resources.</p>			<p align="center"> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </p>
<p>Site Preservation</p>		<p align="center">A4.1</p>	
<p>A4.104.1 An individual with oversight responsibility for the project has participated in an educational program promoting environmentally friendly design or development and has provided training or instruction to appropriate entities.</p>			<p align="center"> <input type="checkbox"/> </p>
<p>Deconstruction and Reuse of Existing Materials</p>		<p align="center">A4.1</p>	
<p>A4.105.2 Existing buildings are disassembled for reuse or recycling of building materials. The proposed structure utilizes at least one of the following materials which can be easily reused: 1. Light fixtures 2. Plumbing fixtures 3. Doors and trim 4. Masonry 5. Electrical devices 6. Appliances 7. Foundations or portions of foundations</p>			<p align="center"> <input type="checkbox"/> Verify at least one if required <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> </p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>Site Development</p>		<p align="center">A4.1</p>	
<p>4.106.2 A plan is developed and implemented to manage storm water drainage during construction. See Sonoma Municipal Code Chapter 13.32 (Stormwater Management and Discharge Control) for additional requirements.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.106.3 Construction plans shall indicate how site grading or a drainage system will manage all surface water flows to keep water from entering buildings.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.106.2.1 Soil analysis is performed by a licensed design professional and the findings utilized in the structural design of the building.</p>			<p align="center"><input type="checkbox"/></p>
<p>A4.106.2.2 Soil disturbance and erosion are minimized by at least one of the following:</p> <ol style="list-style-type: none"> 1. Natural drainage patterns are evaluated and erosion controls are implemented to minimize erosion during construction and after occupancy. 2. Site access is accomplished by minimizing the amount of cut and fill needed to install access roads and driveways. 3. Underground construction activities are coordinated to utilize the same trench, minimize the amount of time the disturbed soil is exposed and the soil is replaced using accepted compaction methods. 			<p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p>
<p>A4.106.2.3 Displaced topsoil is stockpiled for reuse and covered and protected from erosion. (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.106.3 Post construction landscape designs accomplish one or more of the following:</p> <ol style="list-style-type: none"> 1. Areas disrupted during construction are restored to be consistent with native vegetation species and patterns. 2. Utilize at least 75 percent native Californian or drought tolerant plant and tree species appropriate for the climate zone region. 			<p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p>
<p>A4.106.4 Permeable paving is utilized for not less than 20 percent of the total parking, walking, or patio surfaces.(Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.106.5 Roofing materials for high rise residential buildings, hotels and motels shall have a minimum 3-year aged solar reflectance and thermal emittance or a minimum aged Solar Reflectance Index (SRI) equal to or greater than the values specified in Tables A4.106.5.1(3). (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.106.6 Install a vegetated roof for at least 50 percent of the roof area. Vegetated roofs shall comply with requirements for roof gardens and landscaped roofs in the California Building Code, Chapters 15 and 16.</p>			<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>A4.106.7 Reduce nonroof heat islands for 50 percent of sidewalks, patios, driveways or other paved areas by using one or more of the methods listed.</p>			<p align="center"><input type="checkbox"/></p>
<p>A4.106.8.1 For one- and two-family dwellings and townhouses with attached private garages, install a dedicated 208/240-volt branch circuit, including an overcurrent protective device rated at 40 amperes minimum per dwelling unit for future EV charging. (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.106.8.2 For multi-family dwellings, provide capability for future electrical vehicle charging in 5 percent of total parking spaces, as specified. (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.106.9 Provide bicycle parking facilities as noted below. Number of bicycle parking spaces may be reduced, as approved by the enforcing agency, due to building site characteristics, including but not limited to, isolation from other development.</p> <p>1. Provide short-term bicycle parking, per Section A4.106.9.1.</p> <p>2. Provide long-term bicycle parking for multifamily buildings, per Section A4.106.9.2.</p> <p>3. Provide long-term bicycle parking for hotel and motel buildings, per Section A4.106.9.3.</p>			<p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p>
<p>A4.106.10 [HR] Outdoor lighting systems shall be designed and installed to comply with:</p> <p>1. The minimum requirements in the California Energy Code for Lighting Zones 1-4; and</p> <p>2. Backlight, Up light and Glare (BUG) ratings as defined in IES TM-15-11; and</p> <p>3. Allowable BUG ratings not exceeding those shown in Table A4.106.10; or</p> <p>Comply with a lawfully enacted local ordinance, whichever is lawfully enacted local ordinance, whichever is more stringent.</p>		<p align="center">}</p> <p align="center">or</p> <p align="center">}</p>	<p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p>
<p>Innovative Concepts and Local Environmental Conditions</p>		<p align="center">A4.1</p>	
<p>A4.108.1 Items in this section are necessary to address innovative concepts or local environmental conditions These items must be approved by the Building Department prior to listing here.</p>			
<p>Item 1:</p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Item 2:</p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p>Mandatory & Tier 1 Prerequisites</p>	<p>Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p>Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>A4.2 ENERGY EFFICIENCY</p>			
<p>4.201.1 Building meets or exceeds the requirements of the California Building Energy Efficiency Standards.</p>	<input checked="" type="checkbox"/>	<p><i>No elective measures from A4.2 are required</i></p>	<p><i>Select all measures verified in the completed project</i></p> <input type="checkbox"/>
<p>A4.3 WATER EFFICIENCY AND CONSERVATION</p>			
<p>Indoor Water Use</p>	<p><i>All checked items are required</i></p>	<p><i>Select at least two(2) elective measure from A4.3</i></p>	<p><i>Select all measures verified in the completed project</i></p>
<p>4.303.1 Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) installed in residential buildings shall comply with the prescriptive requirements of Sections 4.303.1.1 through 4.303.1.4.4.</p>	<input checked="" type="checkbox"/>	<p>A4.3</p>	<input type="checkbox"/>
<p>4.303.2 Plumbing fixtures and fittings required in Section 4.303.1 shall be installed in accordance with the California Plumbing Code, and shall meet the applicable referenced standards.</p>	<input checked="" type="checkbox"/>		<input type="checkbox"/>
<p>A4.303.1 Kitchen sink faucet shall have a maximum flow rate not greater than 1.5 gallons per minute at 60 psi. (Tier 1) <i>(See exceptions)</i></p>		<input type="checkbox"/>	<input type="checkbox"/>
<p>A4.303.2 Alternate water source for nonpotable applications. Alternate nonpotable water sources are used for indoor potable water reduction. Alternate nonpotable water sources shall be installed in accordance with the <i>California Plumbing Code</i>. (Tier 1)</p>		<input type="checkbox"/>	<input type="checkbox"/>
<p>A4.303.3 Install at least one qualified ENERGY STAR dishwasher and clothes washer.</p>		<input type="checkbox"/>	<input type="checkbox"/>
<p>A4.303.4 Nonwater supplied urinals or waterless toilets are installed.</p>		<input type="checkbox"/>	<input type="checkbox"/>
<p>A4.303.5 Hot water recirculation systems. One- and two-family dwellings shall be equipped with a demand hot water recirculation system, as defined in Chapter 2. The demand hot water recirculation system shall be installed in accordance with the California Plumbing Code, California Energy Code, and the manufacturer's installation instructions.</p>		<input type="checkbox"/>	<input type="checkbox"/>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>Outdoor Water Use</p>		<p align="center">A4.3</p>	
<p>4.304.1 New residential developments with an aggregate landscape area equal to or greater than 500 square feet shall comply with one of the following options:</p> <ol style="list-style-type: none"> 1. A local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more stringent; or 2. Projects with aggregate landscape areas less than 2,500 square feet may comply with the MWELO's Appendix D Prescriptive Compliance Option. 	<p align="center"><input checked="" type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p> <p align="center"><input type="checkbox"/></p>
<p>A4.304.1 Rainwater catchment systems. An approved rainwater catchment system is designed and installed to use rainwater generated by at least 65 percent of the available roof area. Rainwater catchment systems shall be designed and installed in accordance with the California Plumbing Code.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.304.2 Potable water elimination. When landscaping is provided and as allowed by local ordinance, a water efficient landscape irrigation design that eliminates the use of potable water beyond the initial requirements for plant installation and establishment should be provided. Methods used to accomplish the requirements of this section must be designed to the requirements of the California Building Standards Code and shall include, but not be limited to, the following:</p> <ol style="list-style-type: none"> 1. Use of captured rainwater. 2. Use of recycled water. 3. Water treated for irrigation purposes and conveyed by a water district or public entity. 4. Use of graywater. 		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.304.3 For new water service connections, landscaped irrigated areas less than 5,000 square feet shall be provided with separate submeters or metering devices for outdoor potable water use.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Water Reuse Systems</p>		<p align="center">A4.3</p>	
<p>A4.305.1 Piping is installed to permit future use of a graywater irrigation system served by the clothes washer or other fixtures.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.305.2 Recycled water piping is installed.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.305.3 Recycled water is used for landscape irrigation.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>Innovative Concepts and Local Environmental Conditions</p>		<p align="center">A4.3</p>	
<p>A4.306.1 Items in this section are necessary to address innovative concepts or local environmental conditions. These items must be approved by the Building Department prior to listing here.</p>			
<p>Item 1:</p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Item 2:</p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p align="center">A4.4 MATERIAL CONSERVATION AND RESOURCE EFFICIENCY</p>			
	<p align="center"><i>All checked items are required</i></p>	<p align="center"><i>Select at least two (2) elective measures from A4.4</i></p>	<p align="center"><i>Select all measures verified in the completed project</i></p>
<p>Foundation Systems</p>		<p align="center">A4.4</p>	
<p>A4.403.1 A Frost-Protected Shallow Foundation (FPSF) is designed and constructed.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.403.2 Cement use in foundation mix design is reduced by not less than a 20 percent. (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>Efficient Framing Techniques</p>		<p align="center">A4.4</p>	
<p>A4.404.1 Beams and headers and trimmers are the minimum size to adequately support the load.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.404.2 Building dimensions and layouts are designed to minimize waste.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.404.3 Use pre-manufactured building systems to eliminate solid sawn lumber whenever possible.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.404.4 Material lists are included in the plans which specify material quantity and provide direction for on-site cuts.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>Material Sources</p>		<p align="center">A4.4</p>	
<p>A4.405.1 One or more of the following building materials, that do not require additional resources for finishing are used:</p> <p><input type="checkbox"/> Exterior trim not requiring paint or stain.</p> <p><input type="checkbox"/> Windows not requiring paint or stain.</p> <p><input type="checkbox"/> Siding or exterior wall coverings which do not require paint or stain.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.405.2 Floors that do not require additional coverings are used including but not limited to stained, natural, or stamped concrete floors.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.405.3 Postconsumer or preconsumer recycled content value (RCV) materials are used for a minimum of 10 percent of the total value, based on the total estimated cost of materials on the project. (Tier 1) <i>[See CalRecycle for recycled content levels for some materials http://www.calrecycle.ca.gov/greenbuilding/materials/matrix.htm]</i></p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.405.4 Renewable source building products are used.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Enhanced Durability and Reduced Maintenance</p>		<p align="center">A4.4</p>	
<p>4.406.1 Annular spaces around pipes, electric cables, conduits, or other openings in plates at exterior walls shall be protected against the passage of rodents by closing such openings with cement mortar, concrete masonry or similar method acceptable to the enforcing agency.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>Water Resistance and Moisture Management</p>		<p align="center">A4.4</p>	
<p>A4.407.1 Install foundation and landscape drains.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.407.2 Install gutter and downspout systems to route water at least 5 feet away from the foundation or connect to landscape drains which discharge to a dry well, sump, bioswale, rainwater capture system or other approved on-site location.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.407.3 Provide flashing details on the building plans and comply with accepted industry standards or manufacturer's instructions.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.407.4 Protect building materials delivered to the construction site from rain and other sources of moisture.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.407.6 Exterior doors to the dwelling are protected to prevent water intrusion.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>A4.407.7 A permanent overhang or awning at least 2 feet in depth is provided.</p>		<input type="checkbox"/>	<input type="checkbox"/>
<p>Construction Waste Reduction, Disposal and Recycling</p>			
<p>A4.408.1 Construction waste generated at the site is diverted to recycle or salvage in compliance with at least a 65 percent reduction. Any mixed recyclables that are sent to mixed-waste recycling facilities shall include a qualified third party verified facility average diversion rate. Verification of diversion rates shall meet minimum certification eligibility guidelines, acceptable to the local enforcing agency. (Tier 1)</p>	<input checked="" type="checkbox"/>		<input type="checkbox"/>
<p>Building Maintenance and Operation</p>			
<p>4.410.1 An operation and maintenance manual shall be provided to the building occupant or owner.</p>	<input checked="" type="checkbox"/>		<input type="checkbox"/>
<p>4.410.2 Where 5 or more multifamily dwelling units are constructed on a building site, provide readily accessible areas that serve all buildings on the site and is identified for the depositing, storage and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals.</p>	<input checked="" type="checkbox"/>		
<p>Innovative Concepts and Local Environmental Conditions</p>			
<p>A4.411.1 Items in this section are necessary to address innovative concepts or local environmental conditions.</p>		<p>A4.4</p>	
<p>Item 1:</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Item 2:</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>A4.5 ENVIRONMENTAL QUALITY</p> <p><i>All checked items are required</i> <i>Select at least one (1) elective measure from A4.5</i> <i>Select all measures verified in the completed project</i></p>			
<p>Fireplaces</p>			
<p>4.503.1 Install only a direct-vent sealed-combustion gas or sealed wood-burning fireplace, or a sealed woodstove meeting the requirements of Sonoma Municipal Code Chapter 14.28 (Wood-Burning Appliances)¹.</p>	<input checked="" type="checkbox"/>		<input type="checkbox"/>

¹ Modified to conform with Chapter 14.28 of the Sonoma Municipal Code

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>Pollutant Control</p>		<p align="center">A4.5</p>	
<p>4.504.1 Duct openings and other related air distribution component openings shall be covered during construction.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.504.2.1 Adhesives, sealants and caulks shall be compliant with VOC and other toxic compound limits.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.504.2.2 Paints, stains and other coatings shall be compliant with VOC limits.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.504.2.3 Aerosol paints and other coatings shall be compliant with product weighted MIR Limits for ROC and other toxic compounds.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.504.2.4 Documentation shall be provided to verify that compliant VOC limit finish materials have been used.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.504.3 Carpet and carpet systems shall be compliant with VOC limits.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.504.4 (NOT USED) See A4.504.2 below.</p>			
<p>4.504.5 Particleboard, medium density fiberboard (MDF), and hardwood plywood used in interior finish systems shall comply with low formaldehyde emission standards.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.504.1 Use composite wood products made with either California Air Resources Board approved no-added formaldehyde (NAF) resins or ultra-low emitting formaldehyde (ULEF) resins.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.504.2 Ninety (90) percent of floor area receiving resilient flooring shall comply with the VOC-emission limits established in section A4.504.2. (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.504.3 Install thermal insulation in compliance with the VOC-emission limits established in section A4.504.3. (Tier 1)</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>Interior Moisture Control</p>		<p align="center">A4.5</p>	
<p>4.505.2 Vapor retarder and capillary break is installed at slab on grade foundations.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>4.505.3 Moisture content of building materials used in wall and floor framing is checked before enclosure.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p align="center">Mandatory & Tier 1 Prerequisites</p>	<p align="center">Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p align="center">Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p>Indoor Air Quality and Exhaust</p>		<p align="center">A4.5</p>	
<p>4.506.1 Each bathroom (with tub or shower) must be mechanically ventilated with a humidity controlled Energy Star compliant exhaust fan which terminates outside of the building unless otherwise a component of a whole house ventilation system.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>A4.506.1 Return air filters with a value greater than MERV 6 shall be installed on HVAC systems. Pressure drop across the filter shall not exceed 0.1 inches water column.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.506.2 [HR] Provide filters on return air openings rated MERV 6 or higher during construction when it is necessary to use HVAC equipment.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>A4.506.3 Direct vent appliances are used unless the equipment is isolated from the conditioned space in a mechanical room.</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Environmental Comfort</p>		<p align="center">A4.5</p>	
<p>4.507.2. Duct systems are sized and designed and equipment is selected using the following methods:</p> <ol style="list-style-type: none"> 1. Establish heat loss and heat gain values according to ANSI/ACCA 2 Manual J-2011 or equivalent. 2. Size duct systems according to ANSI/ACCA 1 Manual D - 2014 or equivalent. 3. Select heating and cooling equipment according to ANSI/ACCA 3 Manual S-2014 or equivalent. 	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>Innovative Concepts and Local Environmental Conditions</p>		<p align="center">A4.5</p>	
<p>A4.509.1 Items in this section are necessary to address innovative concepts or local environmental conditions.</p>			
<p>Item 1:</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Item 2:</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>
<p>Item 3:</p>		<p align="center"><input type="checkbox"/></p>	<p align="center"><input type="checkbox"/></p>

<p align="center">Column 1 Feature or Measure</p>	<p align="center">Column 2 Project Requirements <i>When checked, these items become a part of the approved plans and must be installed or incorporated into the project.</i></p>		<p align="center">Column 3 Verification <i>Complete after installation & prior to final inspection approval</i></p>
<p><i>See Chapter 4 and Appendix A4 of the 2016 California Green Building Code and Sonoma Municipal Code Chapters 14.10 and 14.32 for complete descriptions of features or measures listed here.</i></p>	<p>Mandatory & Tier 1 Prerequisites</p>	<p>Tier 1 electives <i>Applicant selects required elective measures</i></p>	<p>Verification by a third party CALGreen Special Inspector listed by the City of Sonoma</p>
<p align="center">INSTALLER AND CALGreen SPECIAL INSPECTOR QUALIFICATIONS</p>			<p align="center"><i>Select all measures verified in the completed project</i></p>
<p>Qualifications</p>		<p align="center">A4.7</p>	
<p>702.1 HVAC system installers are trained and certified in the proper installation of HVAC systems.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>702.2 The CALGreen Special Inspector for this project is listed by the City of Sonoma as an approved CALGreen Special Inspector and is qualified and able to demonstrate competence in the discipline they inspect and verify.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>
<p>Verifications</p>		<p align="center">A4.7</p>	
<p>703.1 Verification of compliance with CALGreen +Tier 1 may include construction documents, plans, specifications builder or installer certification, inspection reports, or other methods acceptable to the enforcing agency which show substantial conformance. Implementation verification shall be submitted to the Building Department after implementation of all required measures and prior to final inspection approval.</p>	<p align="center"><input checked="" type="checkbox"/></p>		<p align="center"><input type="checkbox"/></p>

Green Building Acknowledgments

Project Address: _____

Project Description: _____

Section 1 - Design Verification

Complete all lines of Section 1- "Design Verification" and submit the completed checklist (Columns 1 and 2) with the plans and building permit application to the Building Department.

The owner, design professional and the Sonoma approved CALGreen special inspector (**all signatures required**) have reviewed the plans and certify that the items checked above are hereby incorporated into the project plans and will be implemented into the project in accordance with the requirements set forth in the 2016 California Green Building Standards Code as amended by Chapter 14.10 of the Sonoma Municipal Code.

Owner's Signature

Date

Owner Name (Please Print)

Design Professional's Signature

Date

Design Professional's Name (Please Print)

Signature of Listed Green Building Special Inspector

Date

Listed CALGreen Special Inspector's Name (Please Print)

Phone

Green CALGreen Special Inspector's E-mail Address

CALGreen Certification No.

Section 2 - Implementation Verification

Complete, sign and submit the completed checklist, including Column 3, together with all original signatures on Section 2 – "Implementation Verification" to the Building Department prior to Building Department final inspection.

I have inspected the work and have received sufficient documentation to verify and certify that the project identified above was constructed in accordance with this Green Building Checklist and in accordance with the requirements set forth in the 2016 California Green Building Standards Code as amended by Chapter 14.10 of the Sonoma Municipal Code.

Listed CALGreen Special Inspector Signature

Date

CALGreen Special Inspector's Name (Please Print)

Phone (if different than above)

CALGreen Special Inspector's E-mail Address (if different than above)

CALGreen Certification No.